



Docket No.: RPL-0024

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:
Jae Sung KIM	:
Serial No. 10/029,303	: Group Art Unit: 2879
Confirm. No.: 3077	: Examiner: Vip PATEL
Filed: December 28, 2001	: Customer No.: 34610
For: PLASMA DISPLAY PANEL	:

Amendment

U.S. Patent and Trademark Office  
2011 South Clark Place  
Customer Window, Mail Stop Non-Fee Amendment  
Crystal Plaza Two, Lobby, Room 1B03  
Arlington, VA 22202

Sir:

In response to the Office Action of April 22, 2003, please amend the above-identified application as follows:

**Amendments to the Abstract** are reflected on page 2 of this paper.

**Amendments to the Drawings** begin on page 3 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 4 of this paper.

**Remarks/Arguments** begin on page 10 of this paper.

An **Appendix** including amended drawing figures is attached following page 14 of this paper.

RECEIVED  
SEP 22 2003  
U.S. PATENT & TRADEMARK OFFICE

Serial No. 10/029,303

Docket No. RPL-0024

Amdt. dated September 22, 2003

Reply to Office Action of April 22, 2003

**Amendments to the Abstract:**

Please amend the Abstract as follows:

A plasma display panel is disclosed. ~~The plasma display panel includes:~~ including a pair of panels facing at a prescribed interval from each other,, pairs of sustain electrodes having a plurality of transparent electrodes arranged on one of the panels and bus electrodes formed to be at least partially overlapped on the transparent electrodes, ~~the sustain electrodes being in pairs; and~~ address electrodes arranged to intersect the pairs of sustain electrodes[;], wherein a plurality of cells are formed on intersecting points of the pairs of sustain electrodes and the address electrodes[;]. Also including ~~barrier formed between the panels for dividing the cells;~~ and fluorescent layers ~~arranged between the barrier,~~ wherein a light absorption layer for absorbing light of each fluorescent layer is formed on the cell is provided on a side of each bus electrode directing the inside of the cell. ~~Therefore, the plasma display panel can prevent light emitted from the fluorescent layer from being reflected by a side of the bus electrode again when ultraviolet rays excite the fluorescent layer of the inside of the cell and the light is emitted from the fluorescent layer, thereby improving color purity and contrast.~~

Serial No. 10/029,303

Docket No. RPL-0024

Amdt. dated September 22, 2003

Reply to Office Action of April 22, 2003

**Amendments to the Drawings:**

The attached drawings include changes to Fig.(s) 1 and 2. These sheets, which include Fig.(s) 1 and 2, replace the original sheets including Fig.(s) 1 and 2. In Figures 1 and 2, previously omitted elements Related Art have been added.

Attachment: Replacement Sheet  
Annotated Sheet Showing Changes